

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

United States Patent and Trademark
Office
(Box PCT)
Crystal Plaza 2
Washington, DC 20231
ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 03 March 1999 (03.03.99)	
International application No. PCT/GB98/01817	Applicant's or agent's file reference
International filing date (day/month/year) 10 July 1998 (10.07.98)	Priority date (day/month/year) 12 July 1997 (12.07.97)
Applicant BURKE, Trevor, John	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

05 February 1999 (05.02.99)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was

☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Nicola Wolff Telephone No.: (41-22) 338.83.38
--	---

09/462550

PATENT COOPERATION TREATY

PCT

REC'D 15 NOV 1999

WIPO PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference PJA/CO87956PWO	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416) FOR FURTHER ACTION	
International application No. PCT/GB98/01817	International filing date (day/month/year) 10/07/1998	Priority date (day/month/year) 12/07/1997
International Patent Classification (IPC) or national classification and IPC H04N7/025		
Applicant TREVOR BURKE TECHNOLOGY LIMITED et al.		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.



2. This REPORT consists of a total of 9 sheets, including this cover sheet.

- ☒ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 3 sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☒ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☒ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☒ Certain defects in the international application
- VIII ☒ Certain observations on the international application

Date of submission of the demand 05/02/1999	Date of completion of this report 11.11.99
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer Berst, C Telephone No. +49 89 2399 8028 

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/GB98/01817

I. Basis of the report

1. This report has been drawn on the basis of (*substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.*):

Description, pages:

1-17 as originally filed

Claims, No.:

7-19 as originally filed

1-6,20-24 as received on 25/10/1999 with letter of 20/10/1999

Drawings, sheets:

1/5-5/5 as originally filed

2. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
☐ the claims, Nos.:
☐ the drawings, sheets:

3. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

4. Additional observations, if necessary:

III. Non-establishment of opinion with regard to novelty, inventive step and industrial applicability

The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non-obvious), or to be industrially applicable have not been examined in respect of:

- ☐ the entire international application.
☒ claims Nos. 23,24.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB98/01817

because:

☐ the said international application, or the said claims Nos. relate to the following subject matter which does not require an international preliminary examination (*specify*):

☒ the description, claims or drawings (*indicate particular elements below*) or said claims Nos. 23,24 are so unclear that no meaningful opinion could be formed (*specify*):

see separate sheet

☐ the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.

☐ no international search report has been established for the said claims Nos. .

IV. Lack of unity of invention

1. In response to the invitation to restrict or pay additional fees the applicant has:

- ☐ restricted the claims.
- ☐ paid additional fees.
- ☐ paid additional fees under protest.
- ☐ neither restricted nor paid additional fees.

2. ☒ This Authority found that the requirement of unity of invention is not complied and chose, according to Rule 68.1, not to invite the applicant to restrict or pay additional fees.

3. This Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3 is

- ☐ complied with.
- ☒ not complied with for the following reasons:

see separate sheet

4. Consequently, the following parts of the international application were the subject of international preliminary examination in establishing this report:

- ☐ all parts.
- ☒ the parts relating to claims Nos. 1-22.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB98/01817

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	
	No:	Claims	1,21
Inventive step (IS)	Yes:	Claims	
	No:	Claims	2-20,22
Industrial applicability (IA)	Yes:	Claims	1-22
	No:	Claims	

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB98/01817

III). Non-establishment of report:

Claims 23 and 24 do not clearly define the subject-matter for which protection is sought. They refer to the description and drawings, and do not clearly indicate which features disclosed therein are supposed to define the method or apparatus for which protection is sought, respectively.

IV). Lack of unity of invention:

Present groups of independent claims 1, 21 and 17, 22 are not linked by a common inventive concept in the sense of rule 13.1 of the PCT. The common concept presently identifiable is that all these claims relate to programme generation under some sort of "control" on the basis of stored programme elements. This common concept does not represent any contribution of inventive significance to common and known art of programme generation, and is further known from EP - A - 0 705 036 (in that respect see comments set out under point V below). Thus the common concept linking the groups of claims 1,21 and 17,22 is not new and thus not inventive, such that the requisite of unity of invention set out in rule 13.1 PCT is presently not met.

V). Reasoned statement under Article 35(2) PCT:

- 1). Prior art document EP - A - 0 705 036 discloses (see abstract; column 2, lines 18 - 27; column 3, line 26 to column 6, line 53; column 12, line 39 to column 14, line 19; column 31, line 27 to column 33, line 33; figures 2, 7, 18) a method for generating an edited programme (according to programme elements) made up from a sequence of programme elements (e.g. a performer's name or a music number with corresponding information within a whole music program) selected from a series of pre-recorded programme elements the content of which are related and which together make up a single programme (e.g. music program, concert) wherein the programme elements are classified by the producer (on the transmitting side or "recording side") of the single programme on the basis of programme element content category (e.g. category of performer or category of

music number) such that each programme element is allocated to at least one of a predetermined set of classes (corresponding to the content category) and all programme elements allocated to the same class exhibit common programme element content features (e.g. presence of a given performer, category of music) and wherein each programme element is stored with at least one associated programme classification code (37), each classification code identifying a class to which the associated programme element has been allocated, and the edited programme is generated by selecting, at least one programme classification code (item ID which is used as search key) and presenting programme elements associated with the said at least one programme classification code.

The subject-matter of claim 1 can thus be entirely read onto EP - A - 0 705 036, and therefore lacks novelty within the meaning of Article 33(2) of the PCT.

Similar considerations and the same conclusion are applicable in connection with independent apparatus claim 21, the features of this claim being merely defined by their respective functions, which correspond to the features of present method claim 1.

- 2). In the same manner, EP - A - 0 705 036 discloses a method and an apparatus comprising essentially all features of present independent claims 17 and 22, respectively. In EP - A - 0 705 036, the "programme generation control data" is represented by program information, e.g. program division flag (52) and/or classification items (55), which are used in the receiver for generating (by e.g. performing a search operation based on the classification items) a programme (program information) to be displayed.

EP - A - 0 705 036 does not explicitly disclose that the program element data packets are being read out such that the duration of at least one programme element in the generated programme is less than the time taken to transmit the data packet of that programme element from the transmitter. These features however represent no more than a simple measure a skilled person would adopt, since he would readily realise that in order to assure a continuous flow of programme elements transmission to and generation at the receiver the duration of the generated programme elements in the receiver must not exceed the

duration of the transmission of programme element information needed for generating these program elements. This is equivalent to reading packets out of memory such that the duration of at least one program element in the generated programme is less than the time taken to transmit the data packet of that programme element from the transmitter, as set out in present claims 17 and 22.

Consequently independent method claim 17, and corresponding apparatus claim 22 lack inventive step in the sense of Article 33(3) of the PCT vis-à-vis the teachings of EP - A - 0 705 036 and the common design competence of a person skilled in the art of data transmission, since the difference identified above between the method/apparatus disclosed in EP - A - 0 705 036 and the method/apparatus of claims 17 and 22, respectively, does not confer onto these claims any element of inventive significance vis-à-vis known prior art.

- 3). Dependent claims 2 to 16 and 18 to 20 do not reveal any feature susceptible to confer onto the claims onto which they refer an element of inventive significance vis-à-vis common and known art. They relate to simple measures a skilled person would adopt in connection with programme identification/classification, data transmission or data processing, without having to exercise any activity of inventive significance. By way of example, reference is made to claim 2. Classifying a programme element according to a type of event it relates to is a simple and obvious programme classification measure, which is known from EP - A - 0705036, figure 7, ref. 38 (Sports News define a programme element classified by reference to a type of event (sports) to which the element relates). As other example, reference is made to claim 5, the subject-matter thereof being also known from EP - A - 0 705 036, wherein programme element selection is controlled by an operator of a display device, e.g. by menu selection (see figure 19A and corresponding description).

The subject-matter of claims 2 to 16 and 18 to 20 thus lacks inventive step vis-à-vis the art known from EP - A - 0 705 036 and the common knowledge and design competence of a skilled person.

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB98/01817

VII). Certain defects:

- a) Independent claims 1, 17, 21, 22, 23 and 24 are not in the two-part form in accordance with Rule 6.3(b) PCT, which in the present case would be appropriate, with those features known in combination from the prior art (preferably the document EP - A - 0 705 036 cited in the International Search Report) being placed in a preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in a characterising part (Rule 6.3(b)(ii) PCT).
- b) A document reflecting the prior art described on pages 1 to 3 is not identified in the description (Rule 5.1(a)(ii) PCT). Also, the relevant background art disclosed in the document EP - A - 0 705 036 mentioned above is not mentioned in the description, nor is this document identified therein.
- c) The description, in particular pages 3 - 5, has not been brought into conformity with the claims on file as required by Rule 5.1(a)(iii) PCT.
- d) Present independent claims 23 and 24 refer to the description and drawings, and thus do not meet the requirements set out in Rule 6.2 a), since in the present case it is not felt that such reference is necessary for defining the subject-matter for which protection is sought.
- e) Reference signs in parentheses should have been inserted in **all** the claims to increase their intelligibility, Rule 6.2(b) PCT. This applies to both the preamble and characterising portion.

VIII). Certain observations - Clarity:

The various definitions of the invention given in independent claims 1, 17, 21, 22, 23 and 24 which are at least partly of overlapping scope, are such that the claims as a whole are not clear and concise, so that the requirements of Article 6 PCT, are not met.

The claims should have been recast to include only the minimum necessary number of independent claims in any one category (Rule 6.1 (a) PCT), with

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB98/01817

dependent claims as appropriate (Rule 6.4(a) PCT).

In the present case, having also regard to the provisions of rule 13.1 PCT, it appears to be appropriate to use only one independent method and one independent apparatus claim to cover the subject-matter for which protection is sought, in its broadest sense.

69/462550

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/GB 98/01817	10/07/1998	12/07/1997
Applicant		
TREVOR BURKE TECHNOLOGY LIMITED et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 2 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. ☐ **Certain claims were found unsearchable** (see Box I).
2. ☐ **Unity of invention is lacking** (see Box II).
3. ☐ The international application contains disclosure of a **nucleotide and/or amino acid sequence listing** and the international search was carried out on the basis of the sequence listing
 - ☐ filed with the international application.
 - ☐ furnished by the applicant separately from the international application,
 - ☐ but not accompanied by a statement to the effect that it did not include matter going beyond the disclosure in the international application as filed.
 - ☐ Transcribed by this Authority
4. With regard to the **title**,
 - ☒ the text is approved as submitted by the applicant
 - ☐ the text has been established by this Authority to read as follows:
5. With regard to the **abstract**,
 - ☒ the text is approved as submitted by the applicant
 - ☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this International Search Report, submit comments to this Authority.
6. The figure of the **drawings** to be published with the abstract is:
Figure No. 1
 - ☐ as suggested by the applicant. ☐ None of the figures.
 - ☒ because the applicant failed to suggest a figure.
 - ☐ because this figure better characterizes the invention.

CLAIMS

1. A method for generating an edited programme made up from a sequence of programme elements selected from a series of pre-recorded programme elements the content of which are related and which together make up a single programme, wherein the programme elements are classified by the producer of the single programme on the basis of programme element content category such that each programme element is allocated to at least one of a predetermined set of classes and all programme elements allocated to the same class exhibit common programme element content features, each programme element is stored with at least one associated programme classification code, each classification code identifies a class to which the associated programme element has been allocated, and the edited programme is generated by selecting at least one programme classification code and presenting programme elements associated with the said at least one programme classification code.
2. A method according to claim 1, wherein each programme element is classified by reference to a type of event to which the element relates.
3. A method according to claim 1, wherein each programme element is classified by reference to a subjective assessment of the value of the element,
4. A method according to any preceding claim, wherein programme element selection is controlled automatically by applying predetermined selection criteria.
5. A method according to any one claims 1 to 3, wherein programme element selection is controlled by an operator of a display device.
6. A method according to claim 5, wherein symbols are displayed representing the class of each stored programme element, and the operator selects programme elements by selection of associated symbols.

20. A method according to claim 17 or 18, wherein the programme is generated from the stored programme element data packets on the basis of a predetermined control data processing procedure.

21. An apparatus for generating an edited programme made up from a sequence of programme elements selected from a series of pre-recorded programme elements the content of which are related and which together make up a single programme, wherein the programme elements are classified by the producer of the single programme on the basis of programme element content category such that each programme element is allocated to at least one of a predetermined set of classes and all programme elements allocated to the same class exhibit common programme element content features, comprising means for storing each programme element with at least one associated programme classification code, each classification code identifies a class to which the associated programme element has been allocated, means for selecting at least one programme classification code, and means for presenting programme elements associated with the said at least one programme classification code.

22. An apparatus for generating a programme for presentation at a receiver, comprising means for transmitting a stream of programme element data packets and associated programme generation control data to the receiver, means for storing the programme element data packets and associated programme generation control data at the receiver, and means for generating a programme by reading out the programme element data packets in a manner dependent upon the programme generation control data, the programme generating means reading out programme element data packets such that the duration of at least one programme element in the generated programme is less than the time taken to transmit the data packet of that programme element from the receiver.

23. A method for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements substantially as hereinbefore described with reference to the accompanying drawings.

24. An apparatus for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements substantially as hereinbefore described with reference to the accompanying drawings.



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 7/025, 7/16	A1	(11) International Publication Number: WO 99/03275 (43) International Publication Date: 21 January 1999 (21.01.99)
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; vertical-align: top;"> <p>(21) International Application Number: PCT/GB98/01817</p> <p>(22) International Filing Date: 10 July 1998 (10.07.98)</p> <p>(30) Priority Data: 9714624.5 12 July 1997 (12.07.97) GB</p> <p>(71) Applicant (for all designated States except US): TREVOR BURKE TECHNOLOGY LIMITED [GB/GB]; The Pavilion, Torpenhow, Montgomery Hill, Frankby, Wirral L48 1NF (GB).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): BURKE, Trevor, John [GB/GB]; The Pavilion, Torpenhow, Montgomery Hill, Frankby, Wirral L48 1NF (GB).</p> <p>(74) Agent: ALLMAN, Peter, John; Marks & Clerk, Sussex House, 83-85 Mosley Street, Manchester M2 3LG (GB).</p> </div> <div style="width: 48%; vertical-align: top;"> <p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report.</i></p> </div> </div>		
(54) Title: PROGRAMME GENERATION		
<pre> graph TD 6[T.V. Image Source] -- 5 --> 4[Exchange] 4 -- 3 --> 2a[Modem] 4 -- 3 --> 2b[Modem] 2a --> 1a[Terminal] 2b --> 1b[Terminal] </pre>		
(57) Abstract <p>A method and apparatus for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements which may be transmitted to a receiver. Programme elements each representing for example an event are classified on the basis of programme element content, that is the nature of the event to which the programme element relates. Each programme element is allocated to at least one of a predetermined set of classes and each programme element is stored with at least one associated programme classification code. The classification codes identify the class to which the associated programme element has been allocated. A programme element is generated by selecting at least one programme classification code and presenting programme elements associated with that selected at least one programme classification code. Users are able to generate programmes based on for example the perceived value of individual programme elements.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

PROGRAMME GENERATION

The present invention relates to the generation of programmes made up from a series of programme elements each of which is represented by a data packet. Individual programme elements may define for example single images or series of images or audio passages. The programme elements may be distributed in pre-recorded form, or transmitted to a recipient provided with equipment for recording programme elements for subsequent replay.

Before the advent of recording equipment and in particular video recorders, programmes were produced and distributed via the atmosphere or cable and simply reproduced by recipient's receivers. There was no possibility whatsoever for a recipient to control the received programme over and above turning the receiver on or off.

Video recorders made it possible for a recorded programme to be viewed selectively in that a recording tape could be advanced to a part of the programme of interest which could then be viewed, it not being necessary to view every element of the programme recorded on the tape. Video disc players were then introduced in which individual programme elements were separately indexed such that each programme element could be rapidly accessed as compared with a video tape storage system. There was no fundamental difference however between tape and disc systems in terms of the degree to which a user could interact with the recorded programme in that the user had to know where on the recording medium programme elements of interest were located and thus required knowledge of which programme element was recorded where on the recording medium. Programme elements were recorded on the basis that each programme element was allocated to a particular position on the recording medium, access to any one programme element in essence requiring an index in which programme element identity is related to storage medium position.

Interactive video programmes are now available in which programme elements are stored in the memory of a computer and programmes are produced which in part are dependent upon actions taken by an operator of the computer. (The term

"memory" is used herein to include solid state, disc, CD and any other form of data storage capable of storing programme elements). For example a computer game may display images to a user which are read out from the computer memory, the user may then take actions appropriate to the displayed image, and depending upon the actions taken by the user the programme content will change. For example the user may "kill" an adversary depicted on the computer monitor's screen, the actions taken by the user to kill the adversary determining the nature of the sequence of images and associated audio output generated by the computer. Thus there is a limited degree of interaction between the user and the programme in that the order of presentation of stored programme elements is dependent upon actions taken by the user, but essentially the user does no more than determine which route is taken through a complex set of alternative routes defined by the computer so as to produce a series of images corresponding to that route. The user has no way of knowing what the next programme element to be displayed will be, unless the user has played the game a sufficient number of times to learn the response of the computer to a particular control input.

Viewers cannot "edit" programmes with current systems. There are often circumstances in which a viewer of a programme knows the kind of elements of a programme which will be of interest and which will not, and yet a viewer cannot make selections of programme elements of interest even from a recorded programme without a detailed index that describes the nature of each programme element which is recorded at a particular position in a recording medium.

There are circumstances in which it would be highly desirable for a user to be able to edit programme content. In many circumstances, particularly in the case of broadcast sports programmes, potential viewers of those programmes are really interested in only relatively small sections of a broadcast sporting event. For example, with live broadcasts, sections of high interest value, for example the scoring of a goal, are often repeated at the expense of not broadcasting passages of play which are relatively uninteresting, for example the period leading up to the game being re-started after the scoring of a goal. The perceived value of a broadcast programme is

considerably enhanced by such "action replays" but it is frustrating for a viewer not to be able to decide which sections of a game to replay and to be forced simply to accept what is broadcast by the programme producer.

It is often the case that elements of real interest in a sporting event could be delivered over a relatively slow communications channel the bandwidth of which is insufficient to carry a full live broadcast of the event. Thus, bandwidth restraints are a real limitation of broadcast television systems. Furthermore, the resolution available with standard personal computer display screens is far greater than that available with a standard television receiver, and this can be a severe limitation in some circumstances where images of great detail are required to enhance viewer appreciation. The available resolution cannot be used however with broadcast programmes given the limited resolution of the broadcast images. At present, the only way that enhanced quality images can be made available is by the distribution of programme material on disc, and clearly such an approach would not generally be appropriate for ephemeral events such as sports fixtures.

It is an object of the present invention to provide improved methods and apparatus for generating a programme in order to address one or more of the problems outlined above.

According to the present invention there is provided a method for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements, wherein the programme elements are classified on the basis of programme element content such that each programme element is allocated to at least one of a predetermined set of classes, each programme element is stored with at least one associated programme classification code, each classification code identifying a class to which the associated programme element has been allocated, and a programme is generated by selecting at least one programme classification code and presenting programme elements associated with the said at least one programme classification code.

Programme elements may be classified by reference to a type of event to which the element relates, for example a shot on goal or the scoring of a goal in a

football match. Alternatively, programme elements may be classified by reference to a subjective assessment of the value of the programme element, for example the level of excitement generated by a particular passage of play in a football match. Thus the classification codes can be used to give information to a user of the system which is not merely defined in terms of the position of a particular event in time but rather to the nature of the event itself.

Programme element selection which is required to generate the programme presented to a user may be controlled automatically by applying predetermined selection criteria, for example by repeating stored programme elements sequentially so as to only present programme elements with a predetermined classification value. Alternatively, programme element selection may be controlled by an operator of a display device connected to the system. For example symbols may be displayed representing the class of each stored programme element, and the operator may select programme elements by selection of associated symbols. Symbols may be displayed in an order corresponding to a temporal order of events represented by the associated programme element.

The operator may select a sub-set of the classes, and symbols corresponding only to programme elements of that sub-set may be displayed. Programmes may be generated comprising a plurality of programme elements which are presented simultaneously, for example in the form of combined video and audio programme elements or combined video and still image programme elements.

The programme elements may be delivered to an end user on a data carrier such as a tape or CD but generally will be transmitted to and stored at a user's receiver with the associated programme classification codes. Programmes are then generated by selection of classification codes at the receiver.

Only programme elements associated with a sub-set of the classes may be transmitted to the receiver, the sub-set being selected by a user of the receiver. Alternatively, only received programme elements corresponding to a sub-set of the classes are stored at the receiver, the sub-set being selected by a user of the receiver. Thus a user can filter out programme elements with a perceived value of less than a

certain threshold either by transmitting a control signal which prevents programme elements that are not of interest being transmitted to the receiver at all or by discarding received programme elements with a perceived value of less than the threshold.

Received programme elements may be combined with pre-recorded programme elements stored on a data carrier in a memory device of the receiver so as to enhance the perceived value of the generated programme. For example images related to a particular golf course can be combined with images and audio related to live events at that golf course.

Although the invention is applicable in circumstances in which a communications channel used to transmit programme elements has the capacity to carry a continuous live broadcast of for example a sporting event, the invention is applicable in circumstance in which communications channels do not have such a capacity. When using such channels, it will take longer to send a programme element representing a particular event than the time occupied in the generated programme by that programme element. This is not a problem however as programme elements can be repeated such that a continuous programme can be generated.

The invention also provides a method for generating a programme for presentation at a receiver by transmitting a stream of programme element data packets and associated programme generation control data to the receiver, storing the programme element data packets and associated programme generation control data at the receiver, and generating a programme by reading out the programme element data packets in a manner dependent upon the programme generation control data, the programme element data packets being read out such that the duration of at least one programme element in the generated programme is less than the time taken to transmit the data packet of that programme element from the transmitter.

Thus, although in the preferred embodiment of the invention individual programme elements are associated with classification codes selected on the basis of the content of the individual programme elements, classification codes do not have to be generated and instead it is possible simply to transmit control data which enable

programme elements to be repeated so as to produce a continuous generated programme despite the fact that programme elements are transmitted over a communications channel of limited capacity. Programme generation may be controlled automatically in accordance with a predetermined routine or by a user of the receiver to whom the control data is displayed so as to enable programme element selection.

Embodiments of the present invention will now be described, by way of example, with reference to the accompanying drawings in which;

Figure 1 is a schematic representation of the overall structure of a system in accordance with the present invention;

Figure 2 is a schematic representation of equipment provided at each receiver of the system of figure 1;

Figures 3 and 4 schematically represent the generation of programme element data packets and associated classification codes and the storage of received programme element data packets and associated codes at a receiver;

Figure 5 is a schematic representation of the addition of classification codes to television signals produced at a programme source;

Figure 6 is a schematic representation of the storage and use of programme element data packets and associated classification codes at a receiver;

Figure 7 is a view of a display screen showing Figure 6 to a larger scale;

Figure 8 is a schematic representation of symbols displayed on the screen of Figure 7 to represent the progress of a sporting event; and

Figure 9 is a schematic representation of a display screen in a form suitable for the generation of a programme including simultaneously reproduced programme elements.

Referring to Figure 1, terminals 1 which may be conventional PC's (Personal Computers) are connected via conventional modems 2 and telephone lines 3 to a conventional telephone exchange 4. The telephone exchange receives either via existing telephone links or via a direct connection 5 programme element data packets and programme generation control data from a programme source 6. Conventional

data compression techniques may be used such that the transmitted programme element data packets include for example only the data necessary to represent the changes between successive frames of a programme element. Each programme element may include a predetermined number of successive frames, although a programme element could be made up of only a single frame. For example, a single frame could be transmitted as part of a data packet including voice data describing that single frame.

Referring to Figure 2, each terminal comprises an input interface 7, a buffer 8 and a conventional display device 9. Programme element data packets are stored in the buffer 8 and read out under the control of a controller 10 which receives the programme generation control data via input interface 7 and modem 2 from the telephone line 3.

Each terminal 1 receives a stream of data which is delivered to the input interface 7 from the modem 2, the stream of data incorporating programme element data packets, from each of which one or a series of video images and associated audio output can be generated, and control signals which are subsequently used to control the display of programme element data packets stored in the buffer. For example, the buffer may be capable of storing data packets representing two minutes of a continuous real-time programme. If that data was to be read out to the display at a rate corresponding to the normal frame rate of a conventional television system, all of the image data stored in the buffer would be read out in two minutes. Assuming a data rate on the telephone line 3 which is only one sixth of that required for continuous real-time reproduction, only two minutes in every twelve minutes of a real-time event could be reproduced as data would be read out of the buffer faster than it could be updated in the buffer. In accordance with the present invention, programme element data is stored in the buffer for subsequent reproduction in dependence upon control signals from the controller 10, the selection of programme element data to be stored and reproduced being such as to enhance the perceived quality of the programme appearing on the display 9.

For example, if the programme element data packets received represent a sporting event, image data representing only one sixth of the image data generated at the sporting event would be transmitted to the buffer. The received image data would however be replayed in a manner which effectively conceals the fact that image data representing periods of the sporting event which are of little visual interest has been discarded. Thus for example a ten second sequence leading up to the scoring of a goal would be transmitted once but might be reproduced several times. It will be appreciated that even with conventional real-time live television broadcasts, highlights are often repeated a number of times, thereby discarding some of the images generated at the event. During a relatively dull period of a match, programme element data related to a relatively more interesting part of the event would be transmitted to the terminal. During a relatively dull period of an event, programme element data might not be transmitted to the terminal or, in the absence of any relatively more interesting passages of play, data packets could be transmitted which would be allocated a relatively low priority. A subsequently occurring passage of relatively greater interest could be subsequently transmitted and displayed as soon as it is resident in the buffer. Accordingly by allocating different priorities to different sequences of images a controller of the system can control the images displayed to the end user so as to maximise the perceived value of the programme that the images constitute.

Figures 3 and 4 seek to illustrate one possible embodiment of the invention as described with reference to Figures 1 and 2. Figure 3 represents 15 successive programme events each of which is represented by a data packet identified by numbers 1 to 15. The system operator allocates "value" to each of the programme elements in the form of a priority code, those codes being represented by letters A to J, with the letters being allocated in order such that the programme elements of maximum interest are allocated to a class identified by letter A and programme elements of minimum interest are allocated to a class identified by letter J. For the purposes of this example, it will be assumed that each programme element lasts exactly one minute but requires two minutes to be transmitted to the terminal. The

terminal buffer is capable of storing five one minute programme elements at a time. Figure 4 illustrates which programme elements are stored at the terminal during each of the fifteen periods represented by the programme element illustrated in Figure 3. The left hand column in Figure 4 represents the number of each of the fifteen programme elements, the second to sixth columns in Figure 4 represent the contents of five memory locations in the terminal, showing which programme element is stored at the end of each period, and the letters in the seventh to eleventh columns represent the value allocated to the stored programme elements.

It will be seen that in the first period programme element 1 is generated, transmitted to the terminal and stored. Likewise in the second, third, fourth and fifth periods, the second to fifth programme elements are generated, transmitted and stored. At this time in the process ten minutes will have elapsed. During that ten minutes period the user will have been presented with a series of images made up from the information as stored. For example during the fifth period, programme elements 1 and 2 may be presented sequentially during the time that the fifth element is being delivered. The sixth programme element has a higher priority than the first programme element and therefore it is transmitted and stored in the first memory location. The seventh element has a lower priority than any of the stored programme elements and therefore is not transmitted. The eighth element has a higher priority than the oldest of the H value programme element (programme element 4) and therefore is transmitted and replaces that element in the store. The ninth element then replaces the fifth programme element, the tenth element replaces the sixth element, the eleventh element replaces the third element, the twelfth element is not transmitted as it has a lower value than any of the stored values, the thirteenth element is not transmitted as it has a lower value than any of the stored values, the fourteenth element is transmitted as it has a higher value than programme element 2, but the fifteenth element is not transmitted as it has a lower value than any of the stored values.

Clearly if the simple routine according to Figure 4 was followed without fail, in the end all of the memory locations would be filled with high value programme

elements which might, depending on the application, become "stale", in which case one could have a routine for example to reduce the priority of stored programme elements over time so that the stored programme elements are "refreshed". For example the priority level of any stored programme element could be reduced by one step every two cycles of the routine.

Figures 3 and 4 explain how programme data packets are delivered to a terminal but do not explain the manner in which those packets are used to generate a programme. Many alternative control schemes could be envisaged. For example, the terminal could automatically generate a programme from the stored elements, cycling through the stored elements in a predetermined manner. For example all A priority programme elements could be repeated say three times, all B priority programme elements could be repeated once, and so on. Programme elements could be of varied duration so as to enable the allocated priorities to represent programme elements which begin and end with natural break intervals, for example to coincide with interruptions in play. As an alternative to automatic programme generation control however, it would be possible for the operator of the terminal to have total control of the images presented, for example by presenting the operator with an image representing the priority value allocated to the locally stored programme elements for direct selection of programme elements of interest by the terminal operator.

Figure 5 is a graphical representation of a process which can be used to generate a data stream the content of which enables the operator of a terminal receiving that data stream to "edit" a set of received programme elements to produce a programme uniquely adapted to the user's wishes. Figure 6 represents the handling of the data stream at the user terminal, Figure 7 the appearance of a screen represented to a smaller scale in Figure 6, and Figure 8 a series of symbols or 'icons' displayed on the screen of Figure 7 with a series of sequence numbers to assist in understanding the description of the significance of those icons set out below.

Referring to Figure 5, data represented by arrow 11 is captured by a TV camera 12 to produce a stream of digital data represented by arrow 13, that digital data defining the video and audio content of the events taking place in front of the

camera 12. As the data is generated, a system operator allocates classification data to the video and audio content of the data stream 13, the classifications being a subjective indication of the content of the associated programme element data packages. The value classification data is represented in Figure 5 by the arrow 14. Further control data may be added as represented by arrow 15 to further classify the subjective value data 14, for example the identity of a team responsible for a particular event. The combined data 14 and 15 is output as represented by arrow 16 in the form of control data.

The two data streams represented by arrows 13 and 16 are delivered to a transmitter, transmitted to a terminal and stored in a terminal buffer as represented in Figure 6. The combined data stream is represented by lines 17 and the buffer by rectangle 18. In the buffer, each class of data is stored according to its class type in its own area of the buffer, the class type corresponding to the subjective value allocated to the associated programme elements. Data is read out from that buffer as represented by lines 19 in accordance with commands delivered to the buffer 18 by the user on the basis of information displayed on the terminal display screen 20.

Referring to Figure 7, this is a larger reproduction of the screen 20 of Figure 6. The blank area which occupies most of Figure 7 corresponds to area of the display screen on which programme elements will be displayed, and the symbols appearing at the bottom of the screen correspond to displayed icons which represent the content of a series of programme element data packets stored in the buffer 18.

Referring to Figure 8, the icons appearing at the foot of the screen shown in Figure 7 are reproduced next to numbers 1 to 16. Assuming that programme element data packets are being delivered at a rate such that a real-time reproduction of a live event can be produced, the display screen will show the live action. Programme elements of particular interest are however stored for later reproduction, each stored programme element being classified and represented by an associated icon. The first icon corresponds to "kick off", that is the first passage of the game. The second icon indicates a high quality passing sequence, the third a high quality long pass, the fourth a shot on goal, the fifth a yellow card warning to player number 8, the sixth a further

high quality passing sequence, the seventh a goal, the eighth a further shot on goal, the ninth a further yellow card warning to player number 4, the tenth a penalty, the eleventh another goal, the twelfth half time (45 minutes), the thirteenth another high quality passing sequence, the fourteenth a corner, the fifteenth a penalty, and the sixteenth another goal. Home team icons may be highlighted for example in red and away team icons in black.

The icons appear from the bottom left of the screen and continue moving to the right as the game progresses. This means that the oldest recorded events are on the right. Further events will cause the oldest events to be displaced.

The programme element data packets represented in Figure 8 are generated by storing only data packets including events which are of interest to the terminal operator as defined by a minimum priority set by that operator. For example none of the recorded programme elements corresponds to boring periods of play. The user can simply review the icons and switch between different icons using a keyboard or remote control device in a conventional manner, for example by moving a cursor on the simulated control panel at the bottom right hand corner of Figure 7. It is easy for the operator to see in the example represented in Figure 8 that there were ten highlights exceeding the operators threshold setting before half time. The colour of the icons will indicate which team if any dominated play. It can be seen that there was a good passing movement, a good long forward pass before an identified player received a yellow card. The first half included two goals for teams identified by the colour of the associated icon. The current score can be determined by looking at the colour of the three icons representing the scoring of a goal. The terminal operator has the choice of either seeing the whole broadcast programme, seeing all the highlights, or jumping through the sequence of highlights in any desired order.

Thus a terminal operator can either watch a programme in a conventional manner, or skip through parts of a broadcast programme looking at only those sections of real interest, or periodically review the displayed icons to see if anything of sufficient interest has happened to merit further attention. The operator can thus use the system to identify programme elements of interest without it being necessary for

the operator to do more than glance occasionally at the screen. The operator can make a decision to record all or only highlights of a broadcast programme, interact with the programme by actively selecting programme elements to be displayed, or allow the system to make a selection of programme elements to be stored in accordance with a predetermined value selection keyed into the terminal at an earlier time by the user, or allow the generation of a continuous programme by allowing the classification data transmitted with the programme elements to control programme generation in accordance with a default set of value selections determined by the system provider. The system can be used in circumstances where the data delivery communications channel can carry data at a rate sufficient to accommodate all of the real-time programme transmission, or at a rate higher than a conventional transmission (to allow the generation of for example high definition images), or at a rate lower than a normal transmission (in which case a "full" programme can be achieved by repeating previously stored programme elements as necessary).

In terms of the significance to the user of the capabilities of the system, the terminal gives great flexibility so that the terminal operator can choose to experience a broadcast event in any of a large number of ways, for example by:

1. Setting a threshold value to select only highlights of a transmission.
2. Setting a threshold value which could be transmitted to the programme source and used at that programme source to select "above threshold" passages of play from for example more than one sporting event.
3. Displaying by means of icons a "storyboard" of a sequence of events to allow rapid access to events of particular significance.
4. Choosing to permanently record any set or subset of highlights.
5. Recalling and replaying any stored item at will substantially instantaneously.
6. Storing programme elements and associated icons for review at the icon level or as a full programme at a later time.
7. Storing automatically only the highlights of an event for later review, thereby reducing storage requirements.

8. Arranging for the system to take out elements of a broadcast event of little interest to the viewer.
9. Watching a programme live and automatically storing highlights for later replay.
10. Using the system to "watch" a programme so as to alert the operator when something interesting is happening.

In reduced bandwidth systems in which the available bandwidth does not allow the delivery to the user's terminal of all of the real-time broadcast signal, it is necessary to "expand" the time occupied on the screen by transmitted programme elements so as to "fill in" periods of time during which programme elements are being transmitted. This can be achieved by simply repeating programme elements, assuming that each viewed programme element corresponds to the simple reproduction of a real-time series of events, or by using still images and associated audio signals. There are many occasions, particularly during lapses in action, where a still picture and well recorded sound is better than poor video in terms of enhancing the entertainment value. Such an application of the present invention is described with reference to Figure 9.

Figure 9 represents a screen which has been split into four sections A to D. These different sections can be used for any specific purpose, can vary in size, and their usage may be changed according to the dynamics of the broadcast material. For the purposes of illustration section A of Figure 9 may be used to display a moving video picture, section B diagrams or graphs, and section C a high quality still picture. An associated audio programme is also produced. For example, the system illustrated schematically in Figure 9 can be used in association with the broadcast of a programme describing a golf tournament. A golfer may be shown standing on the fairway of a particular hole at a famous golf course in section A of the screen. The golfer can be describing the beauty of the course and how he would play that hole. Section C of the screen can be used to present a very high quality image of the golfer's current location. Section B may contain a plan of the hole showing where the golfer's first drive finished, with distance markers, ranges and the like.

The golfer can work to a script which directs the user's attention to selected parts of the screen. For example the golfer may draw the attention of the terminal user to the way the ground falls away to the left, the dangers of over-pitching straight into a bunker guarding the green, and the beauty of the course and various geographical features. All the time that the golfer is delivering this message, there is no motion at all on the screen. If the golfer talks for 20 seconds about the still picture image on the screen, this gives 20 seconds for the next video section to build up in the system buffer. That next video section can then be replayed at a higher speed than that at which it was recorded in the buffer so as to improve the perceived quality.

Further pre-recorded data packets may be used to make up the final programme. For example an illustration of the golfer's technique of relevance to the particular hole may be taken from a library of information held on a CD in the PC CD drive, that information being displayed in section A of the screen whilst a sponsors message appears in place of the course plan in section B.

Section D of the screen shows icons, in the illustrated case numbers, which are either subjective ratings by the programme producer of the significance of associated programme elements, or identify particular events in a manner similar to the football example illustrated in Figures 5 to 8. This makes it possible to the user to jump between sections of the programme, repeating sections of interest at will, thereby once again obtain control over the programme as a whole.

It will be appreciated that programme elements can be reproduced serially, that is a programme could be made up of programme elements presented one at a time with no overlap between successive elements, or in parallel, that is a programme may be made up of programme elements some of which will be presented simultaneously. The simultaneous presentation of programme elements could enhance a user's appreciation in various circumstances. For example, if a programme to be presented to a user is intended to represent the progress of a car race, most of a display screen could be occupied by an image showing the two leading cars in the race, with the remaining area of the screen showing an image representing the approach to the finish line of that race. Such combinations of images can enhance the appreciation of a

programme by linking together two events where a first one of the events (the relative position of the two leading cars) and a second event (their approach to the finishing line) is of significance to an overall appreciation of the subject of the programme.

It will also be appreciated that combinations of images can be presented either serially or in parallel so as to enhance the impact of advertisements by linking the presentation of particular advertisements to the occurrence of particular events. For example, programme elements representing the progress of a motor race may be combined with a programme element representing advertising images the presentation of which can be linked to the progress of the race. One possibility would be to put on the screen advertising material relevant to the sponsor of a race car or the supplier of tyres to a race car at the time that race car successfully crosses the finishing line. A sponsor's message could thus be superimposed on or otherwise combined with images of the winning race car and driver.

The embodiments of the invention described above assume that programme element classification is controlled by the source of the programme elements. It is possible however for a user of the system to determine the programme element classifications, either to replace classifications set by the programme element source, or to establish a set of programme elements and associated classifications from an unclassified broadcast programme. For example, a user could receive a broadcast of an event, store the entire broadcast, divide the stored programme into programme elements of interest, and set classifications for each programme element of interest. Thus a user could classify programme elements related to a sporting event on a basis ideally suited to the interests of that user, thereby enabling a subsequent reproduction of the programme elements in a manner controlled by reference to the user's own classification system. A user would not then be forced to rely upon the classification system considered appropriate by the programme element source but could set up classifications matching the particular user's interests however idiosyncratic those interests might be.

Programme element classification can be used in a variety of ways, for example to "time stamp" the beginning of one programme element in a programme

made up from a series of sequentially presented programme elements. Thus a user wishing to suspend a programme for a period of time so as to enable for example a telephone call to be answered could in effect apply a "time stamp" classification to the programme element being watched at the time the decision to suspend is made, the applied classification being a flag identifying the point in the programme to which the viewer will wish to return after viewing restarts. The time stamp classification would in effect modify the manner in which stored programme elements are presented by causing the system to bypass all earlier programme elements in the series of programme elements making up the programme to be viewed.

In embodiments of the invention described with reference to Figures 3 and 4, programme elements are classified by reference to a "value" assessment of individual elements. In the embodiment of the invention described with reference to Figures 7 and 8, classification is by reference to the nature of the event. It will be appreciated that various graphical representations of the classifications associated with individual programme elements could be presented to users. For example, in a classification system based on programme element "values" on a scale of 1 to 10, the values of a series of programme elements representing successive events in a real-time broadcast programme may be presented in the form of a bar chart, each bar of the chart having a length corresponding to the value in the range 1 to 10 allocated to a respective programme element. Such a presentation of the classifications of individual programme elements would enable a user to rapidly access any series of programme elements which on the basis of the allocated value classifications is likely to be of significant interest.

CLAIMS

1. A method for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements, wherein the programme elements are classified on the basis of programme element content such that each programme element is allocated to at least one of a predetermined set of classes, each programme element is stored with at least one associated programme classification code, each classification code identifying a class to which the associated programme element has been allocated, and a programme is generated by selecting at least one programme classification code and presenting programme elements associated with the said at least one programme classification code.
2. A method according to claim 1, wherein each programme element is classified by reference to a type of event to which the element relates.
3. A method according to claim 1, wherein each programme element is classified by reference to a subjective assessment of the value of the element,
4. A method according to any preceding claim, wherein programme element selection is controlled automatically by applying predetermined selection criteria.
5. A method according to any one claims 1 to 3, wherein programme element selection is controlled by an operator of a display device.
6. A method according to claim 5, wherein symbols are displayed representing the class of each stored programme element, and the operator selects programme elements by selection of associated symbols.

7. A method according to claim 6, wherein symbols are displayed in an order corresponding to the temporal order of events represented by the associated programme elements.

8. A method according to claim 6 or 7, wherein the operator selects a sub-set of the classes, and symbols corresponding only to programme elements of the sub-set of classes are displayed.

9. A method according to any preceding claim, wherein a programme is generated comprising a plurality of programme elements which are presented simultaneously.

10. A method according to claim 9, wherein video and audio programme elements are presented simultaneously.

11. A method according to claim 9 or 10, wherein still image and video programme elements are presented simultaneously.

12. A method according to any preceding claim, wherein the programme elements are transmitted to and stored at a user's receiver with the associated programme classification codes, and a programme is generated by selection of classification codes at the receiver.

13. A method according to claim 12, wherein only programme elements associated with a sub-set of the classes are transmitted to the receiver, the sub-set being selected by a user of the receiver.

14. A method according to claim 12 or 13, wherein only received programme elements corresponding to a sub-set of the classes are stored at the receiver, the sub-set being selected by a user of the receiver.

15. A method according to claim 12, 13 or 14, wherein received programme elements and pre-recorded programme elements stored on a data carrier in a memory device of the receiver are combined to generate the programme.

16. A method according to claim 12, 13, 14 or 15, wherein at least one stored programme element is read out such that the duration of the programme element in the generated programme is less than the time taken to transmit the data packet of that programme element from the transmitter.

17. A method for generating a programme for presentation at a receiver by transmitting a stream of programme element data packets and associated programme generation control data to the receiver, storing the programme element data packets and associated programme generation control data at the receiver, and generating a programme by reading out the programme element data packets in a manner dependent upon the programme generation control data, the programme element data packets being read out such that the duration of at least one programme element in the generated programme is less than the time taken to transmit the data packet of that programme element from the transmitter.

18. A method according to claim 17, wherein the generated programme includes repeats of transmitted programme elements.

19. A method according to claim 17 or 18, wherein symbols representative of the control data associated with stored programme element data packets are displayed to a user of the receiver, and the programme is generated on the basis of a selection of the displayed symbols made by the user of the receiver.



20. A method according to claim 17 or 18, wherein the programme is generated from the stored programme element data packets on the basis of a predetermined control data processing procedure.

21. An apparatus for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements, comprising means for storing programme elements with associated programme classification codes, each classification code identifying a class selected from a predetermined set of classes to which class an associated programme element has been allocated on the basis of programme element content, means for selecting at least one programme classification code, and means for generating a programme by presenting programme elements associated with the selected said at least one programme classification code.

22. An apparatus for generating a programme for presentation at a receiver, comprising means for transmitting a stream of programme element data packets and associated programme generation control data to the receiver, means for storing the programme element data packets and associated programme generation control data at the receiver, and means for generating a programme by reading out the programme element data packets in a manner dependent upon the programme generation control data, the programme generating means reading out programme element data packets such that the duration of at least one programme element in the generated programme is less than the time taken to transmit the data packet of that programme element from the receiver.

23. A method for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements substantially as hereinbefore described with reference to the accompanying drawings.

24. An apparatus for generating a programme for presentation as a sequence of programme elements from a set of pre-recorded programme elements substantially as hereinbefore described with reference to the accompanying drawings.

1-5FIG. 1FIG. 2

2-5

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
J	D	J	J	B	A	B	D	J	H	H	H	G	E	J

FIG. 3

1	1	0	0	0	0	(J - - - -)
2	1	2	0	0	0	(J E - - -)
3	1	2	3	0	0	(J E G - -)
4	1	2	3	4	0	(J E G H -)
5	1	2	3	4	5	(J E G H H)
6	6	2	3	4	5	(H E G H H)
7	6	2	3	4	5	(H E G H H)
8	6	2	3	8	5	(H E G D H)
9	6	2	3	8	9	(H E G D B)
10	10	2	3	8	9	(A E G D B)
11	10	2	11	8	9	(A E B D B)
12	10	2	11	8	9	(A E B D B)
13	10	2	11	8	9	(A E B D B)
14	10	14	11	8	9	(A D B D B)
15	10	14	11	8	9	(A D B D B)

FIG. 4




FIG. 5




FIG. 6

4—5





FIG. 7

16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

flag . left angle bracket Z₂ 45 flag . left angle bracket [4] → flag Z₂ [8] → curved line Z₂ KO <<< [E] >>>

FIG. 8

5—5FIG. 9

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 98/01817

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04N7/025 H04N7/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	EP 0 705 036 A (SONY CORP) 3 April 1996 see page 3, column 3, line 26 - page 5, column 7, line 26 see page 7, column 12, line 39 - page 8, column 14, line 19 see page 17, column 31, line 27 - page 18, column 33, line 58 see figures 2,10,18,19 -----	1-6 12-22
A	WO 96 27958 A (EKLOEF KRISTER) 12 September 1996 see page 6, column 24, line 9 - page 11 see figure 1 -----	1-22

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

8 October 1998

Date of mailing of the international search report

16/10/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 MV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Van der Zaal, R

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 98/01817

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0705036	A	03-04-1996	JP 8102922 A	16-04-1996
			CN 1130843 A	11-09-1996
			US 5686954 A	11-11-1997
<hr/>				
WO 9627958	A	12-09-1996	SE 503855 C	23-09-1996
			SE 9500792 A	07-09-1996
<hr/>				